

No. 3395RB JIC Check Valve



Used for food and beverage, biodiesel, hydraulic and pneumatic applications, or where resistance is needed for aggressive fuels and chemicals. Also where excellent heat stability is required. Rated for temperatures up to 350°F. Not for steam use.

SKU: 3395RB-J



Type: Check Valve / Material: 303 Stainless / Seal: Viton / Fluid Types: Chemicals, Drinking Water, Food and Beverage, Fuels, Hydraulic Fluid, Non-Potable Water / Special Use: JIC Flared Ends

303 Stainless Steel Check Valve with Viton Rubber Poppet and 37° JIC Flared Ends

The No. 3395RB Fusion™ check valve is made from solid stainless steel bar, with all internal components also of stainless steel. Designed to operate in any position, a sensitive spring has been added to close the poppet automatically. The Viton rubber poppet is fully-formed around a solid steel insert to provide greater strength in commercial applications. The patented Fusion™ valve design offers flexibility in configuring the end connections, with selections from pipe threads to hydraulic connections to hose barbs. All valves are 100% American-Made and built to last. Contact Strataflo now to see how this product can be customized for your application.

Dimensions

Part Number	Pipe Size	Flow Rate (Cv)	Overall Length	Valve Diameter	Valve Weight
3395RB-J4M	1/4" JIC (-4)	1.1 GPM	3.55"	1.12"	0.50 lb.
3395RB-J6M	3/8" JIC (-6)	3.1 GPM	3.55"	1.12"	0.50 lb.
3395RB-J8M	1/2" JIC (-8)	3.8 GPM	3.75"	1.12"	0.50 lb.
3395RB-J12M	3/4" JIC (-12)	7.4 GPM	4.19"	1.24"	0.65 lb.
3395RB-J16M	1" JIC (-16)	11.2 GPM	4.85"	1.49"	1.10 lb.

Cv is flow (GPM) with a 1 psi differential pressure. NPT threaded. *No. 200A-Special 1-1/4" valve will enter a 2" pipe for cold water service. **3" Male NPT thread.

Materials & Operational Specifications

Part Name	Specs
Body	303 Stainless Steel
Stem	303 Stainless Steel
Poppet	Viton Rubber
Spring	302 Stainless Steel
Spring Retainer	303 Stainless Steel
Country of Origin	Made in the USA
Max. Temperature	350°F
Working Pressure	3000 psi
Cracking Pressure	1-2 lbs.
Opt. Cracking Pressure	1/2, 5, or 10 lbs.

You may also like...



No. 3695RB JIC Check Valve

\$60.46 – \$101.16

Type: Check Valve

Material: 316 Stainless

Seal: Viton

Fluid Types: Chemicals, Drinking Water, Food and Beverage, Fuels, Hydraulic Fluid, Non-Potable Water

Special Use: JIC Flared Ends

2010 Lakeview Dr.
Fort Wayne, IN 46808
260-482-4366
sales@strataflo.com

© 2021 Strataflo Products Inc. All Rights Reserved. | | Strataflo is ISO 9001:2015 Registered